



®

PACKAGING



CB70

Warning
For proper use and maintenance refer to the user's handbook attached to the torch.

Attenzione
Consultare il manuale di uso e manutenzione allegato alla torcia.

Achtung
Bitte unbedingt das beigefügte Bedienungsheft beachten.

Attention
Consultez le manuel d'utilisation et de maintenance joint à la torche.

Operating instructions
The insert in the tip and electrode may cause some damage to the torch head. Replace the electrode before its total consumption or pull on the tip when showing an irregular hole or an increased diameter.

Modèle d'usage
L'excès usure di cappa ed elettrodo può creare danni al corpo torcia, sostituire l'elettrodo prima del totale consumo dell'insero e la cappa quando presenta un foro irregolare o di diametro maggiorato.

Gebrauchsanweisung
Elektrische und Schneidbohrer sollen auf den Verschleiß hin überprüft werden, überhöhtes Beanspruchung führt zu verschlechtertem Schneidverhalten und kann zu einer Beschädigung des Brennkopfgeräts führen.


Modèle d'usage
L'usure excessive de la tuyère et de l'électrode peuvent causer des dommages au col de cygne, remplacez l'électrode avant des dommages au col de cygne, remplacez l'électrode avant l'usure totale de l'insert en titane ainsi que la tuyère si celle-ci présente une "usure irrégulière" ou un diamètre majoré.

Check the state of the swirl ring. Air holes must be open. If not, the low cooling system will damage the torch head.

Controllare lo stato di efficienza del diffusore orio, che deve sempre presentarsi in fon di accesso airo liberi da occlusioni.

Überprüfen des Luftventiliers, das die Löcher nicht verstopft sind.

Contrôler le rendement du diffuseur d'air dont les trous d'accès d'air doivent rester libres de toutes occlusions.



CB 70 MANUAL
CB 70 P AUTOMATIC
PLASMA TORCHES



trafimet®

your welding partner

The parts advertised for sale are not genuine parts, but are parts made for and by TRAFIMET. References to manufacturer equipment, and/or trade names or trade-marks are for identification and convenience only.

TRAFIMET spa claims that all items in this catalogue are manufactured in conformity with the "low voltage" CE 7323 directive as per EN 50073 and EN 50192 standards.



The company reserves the right to modify any of its products without notice.

TRAFIMET spa is the registered owner of all trademarks, patents and models.

Copyright © February 1997 - by TRAFIMET spa (Print 11/95) EN 50078





CB 70 P



Technical data CB 70 • CB 70 P

Parameter	Value
Voltage class	M
Standard length	6 m
Air consumption	170 l/min
Air pressure	5 bar
Duty cycle	100%
	50 A
	70 A

CB 70



CB 70 P complete torch

Adaptor	m
PA 1290	6 1/8 G
PA 1291	6 Central

Steel cable available on request.

CB 70 complete torch

Adaptor	m
PA 1270	6 1/8 G
PA 1272	6 Central

PLASMATOORTS CB 70

Leverancier	artikelnummer Tramex	Omschrijving	Type
PA1270	2542650383	Plasma Snijtoorts 6M	CB 70
PA1272	2542650384	Plasma Snijtoorts 6M	CB 70
FH0211	2552650399	Dompelpijpje	CB70 3065204
PR0063	2552650400	Electrode HF	CB70 1402
PE0007	2552650297	Luchtverdelers	CB50+HY40 1510-20101
PD0088-10	2552650304	Snijmondstuk, versterkt	CB50+70 1396
PD0088-11	2552650409	Snijmondstuk	CB70
PD0088-12	2552650407	Snijmondstuk (45+70 amp)	CB70 1308
PC0032	2552650413	Gasmondstuk	CB70 5710171
PR0064	2552650401	Electrode lang HF	CB70 1403
PE0007	2552650297	Luchtverdelers	CB50+HY40 1510-20101
PD0085-98	2552650306	Snijmondstuk lang	CB50 1366
PD0063-10	2552650411	Snijmondstuk lang verst	CB70 1395
PD0063-11	2552650307	Snijmondstuk lang verst	CB50+70
PD0063-12	2552650416	Snijmondstuk lang verst	CB70
PC0032	2552650413	Gasmondstuk	CB70 5710171
CV0010	2552650195	Afstandveer	S45+CB70 1394
CV1117	2552650415	Afstandstuk 2-punts	P70 1405
CV0073	2552650422	Cirkelsnijwagen los	CB70 154
PF0030	2552650397	Branderlichaam	CB70 1351
EA0221	2552650398	O.Ring branderlichaam	CB70 01000.60
EA0229	2522632376	O-Ring	Diverse toortsen
EA0023	2522632232	Borgmoer handgreep	Diverse toortsen
BX0070	2522632203	Mikroschakelaar	Diverse toortsen
TP0082	2552650323	Handgreep, rond	CB50+CB70+TD PCH52
BX0180	2552650402	Stekker V	CB 70
BX0125	2552650298	Kabelpilotboog	CB 50
BX0269	2552650300	Kontakthouder plat	CB 50
BX0138	2522632079	Controle kabel	S 45
PH0172	2552650303	Toortspakket 6M	CB50
PH0160	2552650310	Stroom-luchtkabel 6 M	CB50
BX0211	2552650299	Nippel	CB 50
BX0185	2552650403	Stekker V	CB 70
PH0207	2522632210	Stroomluchtkabel 6M	A81 1/4G
PH0170	2552650302	Toortspakket 6M	CB50
CY0002	2162609726	Buigbescherming	Diverse toortsen
FY0014	2522632532	Centr.aansl. 7-pins T.Z.	A151+CB50+CB70
CV0074	2552650421	Cirkelsnijwagenset kpl.	CB70 166

PLASMATOORTS CB 70 P

artikelnummer Leverancier	Tramex	Omschrijving	Type
PA1290	2542650385	Plasma aut.toorts 6M 1/8	CB70P
PA1291	2542650386	Plasma aut.toorts 6M cen.	CB70P
FH0211	2552650399	Dompelpijpje	CB70 3065204
PR0063	2552650400	Electrode HF	CB70 1402
PE0007	2552650297	Luchtverdeler	CB50+HY40 1510-20101
PD0088-10	2552650304	Snijmondstuk, versterkt	CB50+70 1396
PD0088-11	2552650409	Snijmondstuk	CB70
PD0088-12	2552650407	Snijmondstuk (45+70 amp)	CB70 1308
PC0032	2552650413	Gasmondstuk	CB70 5710171
6518			
EA0215	2552650452	O-ring	CB70P
EA0221	2552650398	O.Ring branderlichaam	CB70 01000.60
TP0064	2552650453	Handgreep	CB70P
FH0158	2522632285	Tandheugel	Diverse toortsen
PH0170	2552650302	Toortspakket 6M	CB50
CY0002	2162609726	Buigbescherming	Diverse toortsen
FY0014	2522632532	Centr.aansl. 7-pins T.Z.	A151+CB50+CB70