


ERGOTIG 24W

T I G R A N G E



TECHNICAL DATA

Voltage class	L
Inert gas	Argon
Duty cycle 100% DC	180
Duty cycle 100% AC	120
Electrodes Ø mm	0.5 ÷ 2.4
Cooling	Water cooled
Max. liquid temp. C	60
Water min. flow rate l/min	1
Max. inlet pressure bar	4
Min. inlet pressure bar	2
Gas flow rate l/min	7 ÷ 18




	SINTIG 24W	SINTIG 24W FX	m
	SY 1401	SZ 1401	4
FITTING	SY 1801	SZ 1801	8
M12x1	SY 1402	SZ 1402	4
FITTING	SY 1802	SZ 1802	8
3/8G			

	FREE 24W	FREE 24W FX	m
	SY 4402	SZ 4402	4
FITTING	SY 4802	SZ 4802	8
3/8G			

Additional KIT	Ø
TT 0203	1.6
TT 0204	2.4

DECLARATION OF CONFORMITY

The undersigned company Trafimet - Via del Lavoro, 8 - 36020 Castegnero (VI) - Italy - declares that the product identified and described on this page complies with standard EN 60974-7 in accordance with the requirements contemplated by directive EEC 73/23 low voltage.



trafimet[®]

your welding partner

EA 0329



BW0303 ERGOTIG HANDLE
 TP0090 Green + Standard
 TP0091 Blue
 TP0092 Black

BW0310

BW0307 BW0305 BW0306



BX0625 BX0626

TD0004... 14

TQ0004

TE0004...

.165 TC0021 Ø 4

4 TC0022 Ø 6.4

5 TC0023 Ø 8

6 TC0024 Ø 9.8

4 TC0027 Ø 6.4

6 TC0028 Ø 9.8

TD0005... 28

TQ0024

TE0005...

4 TC0041 Ø 6.4

5 TC0042 Ø 8

6 TC0043 Ø 9.8


7 TC0044 Ø 11.2

8 TC0045 Ø 12.7




TG0024 24W

TQ0004 598882




TG0224 24WFlex

TQ0004 598882



Complete cable m

TH0064	4
FITTING TH0065	8



Complete cable m

TH0078	4
FITTING TH0079	8



	Water cable	Gas Cable	Water and Power	m
FITTING	TH0106	TH0096	TH0086	4
	TH0107	TH0097	TH0087	8
M12x1	TH0106	TH0098	TH0084	4
FITTING	TH0107	TH0099	TH0085	8
3/8G				



TIG LASTOORTS ERGOTIG 24W

artikelnummer Leverancier	Tramex	Omschrijving	Type	Eenheid
2638882		Lastoorts Tig WG 4 mtr.	Ergotig 24W 3/8"	st
2638885		Lastoorts Tig WG 8 mtr.	Ergotig 24W 3/8"	st
2638887		Lastoorts Tig WG 4 mtr.	Ergotig 24W Flex 3/8	st
2638890		Lastoorts Tig WG 8 mtr.	Ergotig 24W Flex 3/8	st

TIG LASTOORTS ERGOTIG 24W

artikelnummer		Omschrijving	Type	Eenheid
Leverancier	Tramex			
TD0004-05	2636190	Spantang 0,5	53 N 15	st
TD0004-10	2636191	Spantang 1,0	53 N 16	st
TD0004-16	2636192	Spantang 1,6	53 N 14	st
TD0004-24	2636193	Spantang 2,4	24 C 332	st
TE0004-05	2636280	Spantanghouder 0,5	53 N 17	st
TE0004-10	2636281	Spantanghouder 1,0	53 N 18	st
TE0004-16	2636282	Spantanghouder 1,6	53 N 19	st
TE0004-24	2636283	Spantanghouder 2,4	24 CB 332	st
TC0021	2637190	Ker.gasmondstuk nr. 165	53 N 23	st
TC0022	2637191	Ker.gasmondstuk nr. 4	53 N 24	st
TC0023	2637192	Ker.gasmondstuk nr. 5	53 N 25	st
TC0024	2637193	Ker.gasmondstuk nr. 6	53 N 27	st
TC0027	2637194	Ker.gasmondstuk nr. 5	53 N 28	st
TC0028	2637195	Ker.gasmondstuk nr. 6	53 N 26	st
TD0005-05	2636200	Spantang gaslens 0,5	53 N 62	st
TD0005-10	2636201	Spantang gaslens 1,0	53 N 63	st
TD0005-16	2636202	Spantang gaslens 1,6	53 N 64	st
TD0005-24	2636203	Spantang gaslens 2,4	24 GLC 332	st
TE0004-05	2636280	Spantanghouder 0,5	53 N 17	st
TE0004-10	2636281	Spantanghouder 1,0	53 N 18	st
TE0004-16	2636282	Spantanghouder 1,6	53 N 19	st
TE0004-24	2636283	Spantanghouder 2,4	24 CB 332	st
TC0041	2637210	Ker.gasm.gasl. nr. 4	53 N 58	st
TC0042	2637212	Ker.gasm.gasl. nr. 5	53 N 59	st
TC0043	2637214	Ker.gasm.gasl. nr. 6	53 N 60	st
TC0044	2637216	Ker.gasm.gasl. nr. 7	53 N 61	st
TC0045	2637218	Ker.gasm.gasl. nr. 8	53 N 61S	st
TG0024	2643802	Branderlichaam	Ergotig 24W	st
TG0224	2643804	Branderlichaam	Ergotig 24W Flex	st
TQ0004	2643706	Isolatie	T.b.v. 24/24W	st
TP0090	2641115	Handgreep groen L+R	Ergotig-toortsen	st
TP0091	2640200	Handgreep, blauw L+R	ERGOTIG-toortsen	st
BW0303	2640207	Verloopbus	ERGOTIG 9-17	st
EA0329	2640206	Inzetschroeven handgreep	ERGOTIG-toortsen	st
BW0310	2640209	Kogelgewricht + ring	TIG 9-17-20+ plasma	st
BW0307	2640201	Drukknop, verlengd	ERGOTIG-toortsen	st
BW0305	2640202	Drukknop, enkel	ERGOTIG-toortsen	st
BW0306	2640203	Drukknop, dubbel	ERGOTIG-toortsen	st
BX0625	2640204	Printje met enkeldruksch.	ERGOTIG-toortsen	st
BX0626	2640205	Printje met dubbeldruksch	ERGOTIG-toortsen	st

* = niet afgebeeld.

Niet vermelde artikelen op aanvraag verkrijgbaar.